REPORT DOCUMENTATION PAGE

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time AFRL-SR-BL-TR-00-the data needed, and completing and reviewing this collection of information.

and maintaining uggestions for

reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20563				
1. AGENCY USE ONLY (Leave	2. REPORT DATE	3. REPOR	•	
blank)	10 September 1999	Final Ol July	1996 - 30 June 1999	
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS Grant	
AASERT: Research Training in Analysis, Design, and			AF F49620-96-1-0212	
Computation of Active Materials				
•				
6. AUTHOR(S)				
Mitchell Luskin and Ric	chard James			
MILCHEIT EUSKIN and KICHAIG James				
7. PERFORMING ORGANIZATION NAM	ME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION	
University of Minnesota			REPORT NUMBER	
Office of Research and				
Suite 201		i		
1100 Washington Avenue				
Minneapolis, MN 55415				
, , , , , , , , , , , , , , , , , , , ,				
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING / MONITORING	
			AGENCY REPORT NUMBER	
AFOSR/NM				
801 North Randolph Stre	eet			
Room 732	•			
Arlington, VA 22203-19	977			
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY S	TATEMENT		12b. DISTRIBUTIO	N CODE

Approved for public release, distribution unlimited

12a. DISTRIBUTION / AVAILABILITY STATEMENT

13. ABSTRACT (Maximum 200 Words) The graduate students supported by this AASERT obtained research training in the application of mathematical modelling, analysis and computation to the improvement of active materials. The central focus of this work was on the development of specific strategies to improve present materials and on the design of new materials and composites.

Rob Tickle studied a promising alloy system Ni-Mn-Ga for the presence of magneto-memory and obtained reversible strains that are currently the largest field-induced strains that have been observed under moderate field.

James Riordan developed a piecewise linear nonconforming finite element method for the computation of microstructure in martensitic active materials.

Tim Brule worked on the development and analysis of numerical algorithms to compute the deformation of thin martensitic films for application in microvalves, micropumps, or other micromachines.

14. SUBJECT TERMS Active materials, mic	15. NUMBER OF PAGES 3 16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. Z39-18 298-102

Final AASERT Technical Report AF/F4 9620-96-1-0212 from 7/1/96 to 6/30/99

Mitchell Luskin and Richard James University of Minnesota August 10, 1999

The AASERT funds supported the research of several graduate students. Robert Tickle's research has lead to fundamental theoretical and experimental advances on the ferromagnetic shape memory effect. These advances include:

- 1. A new theory of the ferromagnetic shape memory effect, with detailed predictions of domain structure and macroscopic behavior. The main advances were guided by this theory.
- 2. An understanding of the crucial role of magnetic anisotropy in the martensitic phase. Also, the first measurements of magnetic ansiotropy in Ni₂MnGa. A strategy for searching for new ferromagnetic shape memory materials was developed.
- 3. A theoretical prediction and subsequent experimental verification of the important (but unexpected) role of specimen shape on the magnetomechanical behavior of ferromagnetic shape memory materials.

The AASERT funds supported graduate student James Riordan. Riordan developed a numerical analysis of the piecewise linear nonconforming finite element method for the computation of microstructure. His results demonstrated the convergence of the microstructure at an asymptotic rate equal to the conforming method, and his numerical experiments indicate promise that this method can be more efficient than conforming methods. This work has been reported in Riordan's Ph.D. thesis and will be reported in a forthcoming paper with Bo Li and Mitchell Luskin.

Tim Brule, a graduate student in mathematics, was also supported to work on the development and analysis of numerical algorithms to compute the deformation of thin martensitic films for application in microvalves, micropumps, or other micromachines. He used the model for the deformation of thin martensitic films developed by Bhattacharya and James. Brule is currently preparing his research for a thesis and for future publication.

References

- [1] R. D. James, R. Tickle, and Manfred Wuttig. Large field-induced strains in ferromagnetic shape memory materials. *Materials Science and Engineering A*, to appear.
- [2] James Riordan. Nonconforming approximation of martensitic crystal. PhD thesis, University of Minnesota, 1997.
- [3] R. Tickle and R. D. James. Magnetic and magnetomechanical properties of Ni₂MnGa. J. Magnetism and Magnetic Materials, 195:627–638, 1999.
- [4] R. Tickle, R. D. James, T. Shield, M. Wuttig, and V. V. Kokorin. Ferromagnetic shape memory in the NiMnGa system. *IEEE J. Magnetics*, to appear.